

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr. Governor

Thomas W. Easterly Commissioner

100 North Senate Avenue Indianapolis, Indiana 46204 (317) 232-8603 (800) 451-6027 www.IN.gov/idem

November 29, 2007

VIA CERTIFIED MAIL 7002 0510 0003 0022 3665

7002 0510 0003 0022 3658

Mr. John Konik U. S. Army Corps of Engineers Regulatory Office CELRE-RG P.O. Box 1027 Detroit MI 48231-1027

Mr. James Townsend U.S. Army Corps of Engineers Louisville District P.O. Box 59 Louisville, Kentucky 40201-0059

Dear Mr. Konik and Mr. Townsend:

Re:

Section 401 Water Quality Certification

Project: Programmatic General Permit for

Activities in Public Freshwater Lakes in Indiana

IDEM No.: 2007-622-00-JTR-A COE No.: LRE 1998-1000100

The Office of Water Quality has reviewed your application for Section 401 Water Quality Certification (WQC) published via public notice dated October 4, 2007, and received October 9, 2007. You propose to issue a programmatic general permit covering the discharge of dredged or fill material into waters of the United States associated with shore protection, beach construction, and boat well filling regulated by the Indiana Department of Natural Resources under IC 14-26-2.

It is the judgment of this office that the above referenced programmatic general permit will comply with the applicable provisions of state law (including 327 IAC 2) and Sections 301, 302, 303, 306, and 307 of the Clean Water Act if the recipient of the certification complies with the conditions set forth below. Therefore, subject to the following conditions, the Indiana Department of Environmental Management (IDEM) hereby grants WQC for this federal permit.

GENERAL CONDITIONS

The following conditions shall apply to any activity that qualifies under this programmatic general permit. All activities that do not meet these conditions require an individual WQC from the IDEM and are not authorized under this WQC.

- 1) The seawall shall be in place prior to the deposition of any fill material behind the wall.
- 2) All excavated material shall be disposed of at an upland location with no placement in, or return to



any waterway or wetland.

- 3) The U.S. Army Corps of Engineers shall notify IDEM in the following cases:
 - a) The U.S. Army Corps of Engineers intends to authorize a covered activity with special conditions; or
 - b) The U.S. Army Corps of Engineers intends to require mitigation for a covered activity. Once IDEM receives this notification it will, within thirty (30) days, evaluate the activity and, at its discretion, either allow it to proceed under this WQC or require an individual, site specific WQC review. IDEM may require additional information from the permitee. If the permitee fails to provide any information requested by the IDEM, then the activity is not authorized under this WQC.
- 4) This WQC does not authorize the discharge of storm water or the discharge of pollutants (such as sediment) associated with storm water.
- 5) The permittee shall allow the commissioner or an authorized representative of the commissioner (including an authorized contractor), upon the presentation of credentials to:
 - a) Enter upon the permittee's property;
 - b) Have access to and copy at reasonable times any records that must be kept under the conditions of these permits or this certification;
 - c) Inspect, at reasonable times, any monitoring or operational equipment or method; collection, treatment, pollution management or discharge facility or device; practices required by this certification; and any mitigation site; and
 - d) Sample or monitor any discharge of pollutants or any mitigation site.
- 6) This WQC does not authorize point source discharges of pollutants other than clean fill¹ and uncontaminated dredged material.
- 7) This WQC does not authorize activities on or in any critical wetland or critical special aquatic site (see *Attachment #1*).
- 8) The IDEM, for any activity that qualifies under the terms and conditions of this certification, may choose to require an individual WQC if it determines that the project may have more than minimal impacts to water quality, either viewed individually or collectively with other activities that may affect the same waterbody affected by the proposed project.

The IDEM retains the right to review, modify, terminate, replace or amend this certification as needed to ensure that the federal permit certified does not result in violations of Indiana's Water Quality Standards or other applicable state laws. In the absence of another action by the IDEM that would alter the termination date of this certification, this certification shall expire with the expiration of the federal permit it certifies.

This certification does not relieve the recipient of the responsibility of obtaining any other permits or authorizations that may be required for covered activities or related activities from the IDEM or any other agency or person. Permitees may wish to contact the IDNR at 317-232-4160 (toll free at 877-928-3755) concerning the possible requirement of natural freshwater lake or floodway permits. In addition, permitees may wish to contact the IDEM's Storm Water Permits program at 317-233-1864 concerning the possible need for a 327 IAC 15-5 (Rule 5) permit if you plan to disturb greater than one (1) acre of soil during construction.

¹ Clean fill, for the purpose of this WQC, means uncontaminated rocks, bricks, concrete, road demolition waste materials, or dirt.

This certification does not:

- (1) Authorize impacts or activities outside the scope of this certification;
- (2) Authorize any injury to persons or private property or invasion of other private rights, or any infringement of federal, state or local laws or regulations;
- (3) Convey any property rights of any sort, or any exclusive privileges;
- (4) Preempt any duty to obtain federal, state or local permits or authorizations required by law for the execution of the project or related activities; or
- (5) Authorize changes in the plan design detailed in the application.

Failure to comply with the terms and conditions of this WQC may result in enforcement action against the permitee. If an enforcement action is pursued, the permitee could be assessed up to \$25,000 per day in civil penalties. The permitee may also be subject to criminal liability if it is determined that the WQC was violated willfully or negligently.

This certification is effective eighteen (18) days from the mailing of this notice unless a petition for review and a petition for stay of effectiveness are filed within this 18-day period. If a petition for review and a petition for stay of effectiveness are filed within this period, any part of the certification within the scope of the petition for stay is stayed for fifteen (15) days, unless or until an Environmental Law Judge further stays the certification in whole or in part.

This decision may be appealed in accordance with IC 4-21.5, the Administrative Orders and Procedures Act. The steps that must be followed to qualify for review are:

- 1. Submit a petition for review in writing that states facts demonstrating that the petitioner is either the person to whom this decision is directed, a person who is aggrieved or adversely affected by the decision, or a person entitled to review under any law.
- 2. File the petition for review with the Office of Environmental Adjudication (OEA) at the following address:

Office of Environmental Adjudication 100 North Senate Avenue IGCN Room N1049 Indianapolis, IN 46204

3. File the petition within eighteen (18) days of the mailing date of this decision. If the eighteenth day falls on a Saturday, Sunday, legal holiday, or other day that the OEA offices are closed during regular business hours, you may file the petition the next day that the OEA offices are open during regular business hours. The petition is deemed filed on the earliest of the following dates: the date it is personally delivered to OEA; the date that the envelope containing the petition is postmarked if it is mailed by United States mail; or, the date it is shown to have been deposited with a private carrier on the private carrier's receipt, if sent by private carrier.

Identifying the certification, decision, or other order by number, name of the applicant, location, or date of this notice will expedite review of the petition.

Note that if a petition for review is granted pursuant to IC 4-21.5-3-7, the petitioner will, and any other person may, obtain notice of any prehearing conferences, preliminary hearings, hearings, stays, and any orders disposing of the proceedings by requesting copies of such notices from OEA.

If you have procedural questions regarding filing a petition for review you may contact the Office of Environmental Adjudication at 317-232-8591.

If you have any questions about this certification, please contact Mr. James Robb, Wetland and Storm Water Section chief, at 317-233-8802, or you may contact the Office of Water Quality through the IDEM Environmental Helpline (1-800-451-6027).

Sincerely,

Marylou Poppa Renshaw, Chief Watershed Planning Branch

Office of Water Quality

cc: Kerrie Kuhne, USACE-Detroit

Tim Smith, USACE-Indianapolis Field Office

Mike Litwin, USFWS Mike Neyer, IDNR

Wendy Melgin, USEPA Region 5

Attachment 1 - Critical Wetlands and Critical Special Aquatic Sites

In the interest of maintaining consistency with the State Regulated Wetland program established at 327 IAC 17, the Indiana Department of Environmental Management (IDEM) defines Critical Wetlands and Critical Special Aquatic Sites to be synonymous with Rare and Ecologically Important Wetland Types under 327 IAC 17-1-3(3)(B):

- Acid bog: Acid bog is an acidic wetland of kettle holes in glacial terrain. Bogs can be graminoid (Carex spp. and Sphagnum spp.) or low shrub (Chamaedaphne calyculata and Betula pumila). The graminoid bog can be a floating, quaking mat. The soils in acid bogs are saturated and acidic peat. Bogs have non-flowing or very slow flowing water. The water level fluctuates seasonally. When a sphagnum mat floats, it rises and falls with the water table. Acid bogs can be found in northern Indiana.
- Acid seep: Acid seep is a bog-like wetland typically found in unglaciated hill regions. This community is a small groundwater-fed wetland located primarily in upland terrain. A thin layer of muck may lie over a mineral substrate. The soil reaction is acid. This seep community is characterized by flowing water during at least part of the year. Acid seeps are located primarily in southern Indiana.
- Circumneutral bog: Circumneutral bog is a bog-like wetland that receives groundwater.
 Circumneutral bogs can be a mosaic of tall shrub bog, graminoid bog, and other communities.
 The graminoid bog often occurs on a quaking or floating mat. Although a few bogs occur in unglaciated regions, most are found in glacial ice-block depressions. The soils in circumneutral bogs are usually peat, or other low nutrient organic substrates, which are saturated and circumneutral to slightly acid. Circumneutral bogs have non-flowing or very slow flowing water.
 The water level fluctuates seasonally. Circumneutral bogs are usually found in northern Indiana.
- Circumneutral seep: The circumneutral seep (or seep-spring) is a groundwater-fed wetland on organic soil. It is primarily herbaceous. Species typically include marsh marigold (Caltha palustris) and skunk cabbage (Symplocarpus foetidus) with a scattered tree canopy. Circumneutral seep is typically situated on or near the base of a slope. The soil is typically circumneutral muck. This seep community is characterized by slowly flowing water during at least part of the year. Circumneutral seeps can be found scattered throughout Indiana.
- Cypress swamp: Bald cypress swamps are seasonally to permanently inundated wetlands found in depressions and sloughs of large bottomlands associated with the Wabash/Ohio River system. Poorly to very poorly drained soils characterize this environment. Bald cypress (Taxodium distichum) is present, and green ash (Fraxinus pennsylvanica), silver maple (Acer saccharinum), and overcup oak (Quercus lyrata) are also usually present. This community is restricted to extreme southwest Indiana.
- **Dune and swale:** Dune and swale is an ecological system consisting of a mixture of upland (black oak sand savanna, dry to mesic sand prairie) and wetland (pond, panne, sedge meadow, marsh, wet prairie) natural communities. These communities occur in long, narrow, linear complexes, with the dry communities occupying sand ridges, and the wet communities occurring in the intervening swales. Black oak (*Quercus velutina*), paper birch (*Betula papyrifera*), jack pine (*Pinus banksiana*), and prairie vegetation typically occur on the ridges, and sedges, reeds, and marsh/aquatic vegetation line are found in the swales. Water levels are directly influenced by ground water, with the interdunal swales controlled largely by lateral flow through porous beach ridges. Dune and swale is restricted to extreme northwest Indiana, near Lake Michigan.
- Fen: Fen is a calcareous, groundwater-fed wetland. Fens are often a mosaic of grassy areas, sedgy areas, graminoid-shrubby cinquefoil, and tall shrub areas. The extent of the tall shrub component of fens may be determined by fire frequency and/or soil moisture. Drying of the soil increases the growth of shrubs. Fens typically occur in the vicinity of glacial moraines. Fens

- typically have a muck or peat substrate. The water level fluctuates seasonally and is fed by groundwater. Fens can be found in central and northern Indiana.
- Forested fen: Forested fen is a tree-dominated wetland on organic soil which receives groundwater. Forested fens are often a mosaic of treed areas, tall shrub areas, and herbaceous areas. A tall shrub layer is often well developed in forested fens. Indicative species typically include tamarack (Larix laricina), black ash (Fraxinus nigra), yellow birch (Betula alleghaniensis), poison sumac (Toxicodendron vernix), and red maple (Acer rubrum). Forested fens occur in wet lowlands, where moraines meet outwash features or depressions. Forested fens have saturated, poorly to very poorly drained soils that are often muck, but some seasonal flooding can occur in forested fens that are especially level. This community is a late successional stage of fen or circumneutral bog. Forested fens occur in northern Indiana.
- Forested swamp: Forested swamp is a seasonally inundated to intermittently exposed wetland of large river bottoms. Forested swamps do not receive direct flow from river flooding except under exceptional circumstances. Forested swamps occur in depressions, sloughs and large bottomlands, typically dominated by tree species such as swamp cottonwood (Populus heterophylla), green ash (Fraxinus pennsylvanica), and swamp white oak (Quercus bicolor). In northern Indiana important tree species include black ash (Fraxinus nigra), yellow birch (Betula alleghaniensis), and red maple (Acer rubrum). Poorly to very poorly drained and aerated soils characterize the swamp environment. Soils usually are mineral not muck or peat. This community type is found throughout Indiana.
- Marl beach: Marl beach is a fen-like community located on the marly muck shorelines of lakes. Marl precipitate is evident. A thin layer of water is present in spring, but dries down in summer. Draw-down of a lake creates additional area for this community to develop on. Marl beaches can be found in extreme northern Indiana, primarily in the northeast.
- Muck flat: Muck flat is a shoreline and lake community possessing a unique flora of sedges and annual plants, many of which are also found on the Atlantic and Gulf Coastal Plains. This community is found at the margins of lakes or covering shallow basins. This community has a peat substrate. The muck flats can float on the water surface, but during high water periods are usually inundated. The water level of a basin fluctuates during a season or from year to year in response to the amount of precipitation. This exposes bare substrate needed for germination by species of the community. Muck flats are found in northern Indiana.
- Panne: Panne is a groundwater fed herbaceous wetland occupying interdunal swales near Lake Michigan. Pannes are located on the lee side of the first or second line of dunes from the lakeshore. The soil is wet, calcareous sand. Pannes are located in counties bordering Lake Michigan.
- Sand flat: Sand flat is a shoreline and lake community possessing a unique flora of sedges and annual plants, many of which are also found on the Atlantic and Gulf Coastal Plains. This community is found at the margins of lakes or covering shallow basins. This community has a sand substrate. During high water periods sand flats at the margins of lakes or ponds are inundated. The water level of a basin fluctuates during a season or from year to year in response to the amount of precipitation. This exposes bare substrate needed for germination by species of the community. Sand flats occur in northern Indiana, and in the Plainville Sand Section of southwest Indiana.
- Sedge meadow: Sedge meadow is an herbaceous wetland typically dominated by graminoid species such as flat sedge (*Cyperus* spp.), spike rush (*Eleocharis* spp.), rushes (*Juncus* spp.) and sedges (*Carex* spp.). Sedge meadow is an herbaceous wetland of stream margins and river floodplains, and lake margins or upland depressions. Streamside sedge meadows are frequently flooded in the spring and early summer. Sedge meadows of lake margins and depressions often contain standing water during wet months and after heavy rains; during dry periods, the water level is at or just below the substrate. Sedge meadow usually occupies the ground between a

- marsh and the uplands, or a shrub swamp or wet forest. Periodic high water can kill trees and shrubs invading sedge meadows. Sedge meadows can be found in the northern half of the state.
- Shrub swamp: Shrub swamp is a shrub-dominated wetland that is seasonally inundated to intermittently exposed. This community occurs in depressions and the substrate in either mineral soils or muck, as opposed to peat which is characteristic of bogs. Shrub swamp is characterized by non-flowing or very slowly flowing water with levels that fluctuate seasonally. Shrub swamps are persistent, though considered successional. Two opportunistic native shrubs, sandbar willow (Salix exigua) and gray dogwood (Cornus racemosa), by themselves, are not indicative of shrub swamps. This community type is found throughout Indiana.
- **Sinkhole pond:** Sinkhole ponds are water-containing depressions in karst topography. Sinkhole ponds are found in the Mitchell Karst Plain in south-central Indiana.
- **Sinkhole swamp:** Sinkhole swamps are depressions in karst topography dominated by tree or shrub species. Sinkhole swamps are found in the Mitchell Karst Plain in south-central Indiana.
- Wet floodplain forest: Wet floodplain forest is a broadleaf deciduous forest of river floodplains. Wet floodplain forests occur in depressions and flats on narrow to wide floodplains and also on recently exposed substrates that are frequently flooded. Wet floodplain forests are frequently flooded and may have standing water seasonally to permanently present. Wet floodplain forests occur statewide.
- Wet prairie: Wet prairie is an herbaceous wetland typically dominated by graminoid species such as prairie cordgrass (Spartina pectinata), bluejoint (Calamagrostis canadensis), and sedges (Carex spp.). Vegetation height is often 2-3 m. The species diversity of wet prairies is lower than that of mesic prairies. Wet prairies occur in deep swales and the substrate ranges from very deep black mineral soils (which are high in organic matter) to muck. Ponding in spring lasts for several weeks prior to drainage. Wet prairies commonly occur in the Grand Prairie Natural Region, the Tipton Till Plain and the Bluffton Till Plain, with a few examples found in the Northern Lakes Natural Region.
- Wet sand prairie: Wet sand prairie is an herbaceous wetland typically dominated by graminoid species such as prairie cordgrass (Spartina pectinata), bluejoint (Calamagrostis canadensis), and sedges (Carex spp.). Vegetation height is often 2-3 m. The species diversity of wet prairies is lower than that of mesic prairies. Wet lowland prairies occur in deep swales and the substrate is sand, sometimes mixed with muck. Flooding is a regular springtime occurrence in wet sand prairie and may last several weeks. This community occurs in a mosaic with marsh and other wetlands, and with upland prairies and sand savannas. Fire was frequent occurrence, but more common in the fall when waters had receded. This community occurs in northwest Indiana and in the Plainsville Sands area.

-				
		**		
i				